

Cor. West 22d and Union Streets.

CHICAGO:

Rand, McNally & Co., Printers, Engravers and Electrotypers.

1889.

Digitized by the Internet Archive in 2017 with funding from Columbia University Libraries

r producti providenta popreta de producti

Palmer, Fuller & Co.

WHOLESALE MANUFACTURERS OF

SASH, DOORS, BLINDS,

DEALERS' DISCOUNTS

Mouldings, Stair Work,

OFFICE AND FACTORY:

Cor. West Twenty-Second and Union Streets

CHICAGO, February 12th, 1889. GENTLEMEN:

The demand for goods continues to improve, and we can now see no reason why prices will not range much higher when the Spring trade opens, and we believe it to be for your interest to buy now.

The discounts we name supersede all previous quotations, and are subject to change without notice.

We solicit your orders, confident of our ability to please you, and we assure you that we will allow no one to excel us in any way. We assure you satisfaction.

Yours Truly,
PALMER, FULLER & CO.

PALMER, FULLER & GO.

CHICAGO.



The state of the s

SCREEN DOORS

Wired and Painted.

2-6 x 6-6,		1	1-8,	-		\$0.95 Net
2-8 x 6-8,	-		4.4	-	-	1.00 ''
2-10x6-10,			**	-		1.05 ''
3 x 7,	-		4.6	-	-	1.10 ''

CHICAGO, FEBRUARY, 1889,



Dealers' Discounts.

We quote you as follows from our Price List February 1st, 1889:

Doors, 55	per cent.
Outside Blinds, 65	<i>n n</i>
Inside Blinds, 55	
Open Sash, 65	**
Glazed Sash, 65 and 5	** **
Mouldings (1889 List), 60	
Black Walnut Mouldings, Double the List on Pine, 10	14 44
Stair Work, 10	
Odd Sizes, 10	**

Kelly Patent Blinds, 10c. per foot in height.

NET extra for 2-Fold Blinds.

TERMS.



All enclosed discounts are F. O. B. in Chicago, delivered free of charge to any dock, freight house or Irumber Yard in this city.

All sales are on 60 Days time or 2 per cent. for Cash in 10 days from date of shipment.

AVERY LIBRARY
COLUMBIA UNIVERSITY

PRICE CURRENT.

FEBRUARY 1st, 1889.

PALMER, FULLER & CO.

WHOLESALE MANUFACTURERS OF

Sash, Doors, Blinds,

STAIRS,

STAIR RAILING, BALUSTERS AND POSTS,

MOULDINGS, ETC.,

Lumber, Lath and Shingles.

COR. WEST TWENTY-SECOND AND UNION STS.

Chicago, III.

P. S.—In order to reach our Manufactory and Office from the principal Hotels in the City, take either the South Halsted Street or Canalport Avenue and Canal Street Horse Cars, which leave from corner State and Randolph Streets. CHICAGO, February 1st, 1889.

DEAR SIR:

We take pleasure in again presenting to the trade herewith a new and Revised Price Current.

We solicit your custom for the coming season. Our intentions are to give the details of the manufacturing, handling and shipment of our goods even greater care than in the past, and to make our prices low, and our goods the best in the market.

Estimates, Price Lists, Moulding Books, or any information in our line, furnished on application.

Inviting a personal inspection of our stock, and hoping to be favored with your orders, we are,

Yours truly,

PALMER, FULLER & CO.

Please observe the following Directions in giving orders, as it will often avoid errors and unnecessary delays.

Orders for Sash should state the size of glass, number of lights in a window, thickness, if plain or check rail, glazed or unglazed. For segment or circle corner windows, always give the radius of the segment or circle corner. For circle head, segment head, and circle corner windows, ALWAYS STATE whether they are wanted to finish circle inside and outside like Plans Nos. A and C, on page 6, or to finish circle on ontside only, as Plans Nos. B and D on same page. Also where frames are made, the width and height of frame in the clear should he given.

Orders for Doors should state size, thickness, number of panels, if six panels, state if three panels wide or three panels high, and if first or second quality; if moulded, say if one or both sides, sunk or raised moulding.

Orders for Outside Blinds should state size of glass, nnmher of lights in window; thickness of Blinds; if for segment head windows, give radius of segment; also, if for wood or brick hnilding.

Orders for Inside Blinds should state exact size of opening, the number of folds (width of hox, if any), and if panels or slats, and where Blinds are to be hung.

Orders for Mouldings should give the number of Moulding, and STATE PARTICULARLY THE DATE OF THE BOOK FROM WHICH IT IS TAKEN.

We will deliver our goods and load in cars (with our own men), free of charge, to any lumber yard in the city, and would request our customers to order Doors, Sash, Blinds, etc., DIRECTLY OF US, which will insure their receiving our own mannfacture and prompt attention. In giving such orders, we would suggest to our trade to always order our goods a little in advance of their Lumber, and Notify Their Lumberner of the fact of our having goods to he loaded in their cars.

WE ARE PREPARED TO FURNISH THE TRADE WITH

LUMBER,

LATH AND

SHINGLES,

At prices as ow, for the quality, as any house in this market.

We have a large dock, a first-class planing mill, and a fully assorted stock of DRY LUMBER of all grades.

We make a specialty, and earry a very full stock, of 1¼, 1½, 2, 3 and 4-inch appers, in large variety, all thoroughly seasoned.

With the aid of our new improved kilns, we are enabled to load pine and cedar shingles as dry as the driest, and we are always well supplied with the best of their grade to be found in the city.


We would also call especial attention to our dressed Finishing, Siding, Ceiling and Flooring, which is all dry and carefully graded.


Having facilities second to none, we feel confident that we can meet, satisfactorily, the demands of our enstomers.

WE SOLICIT YOUR ORDERS.

OBSERVE DIRECTIONS ON PAGE 4 IN GIVING YOUR ORDERS,

Always give the radius of the segment, otherwise the regular radius, which is the width of the wlose window, will be made.





No. D.

For Window Frames, Segment outside, Square inside,

Square Inside.

PLAIN RAIL SASH.

Twelve-Lighted Windows.

Size of Glass.	Thickness.	Price per Window.	Price per Window, Glazed.	Size of Window.
7 × 9	Inches. 1 1-8	\$ cts. .46	\$ cts. 1.30	Ft. In. Ft. In. 2 1×3 4½
8 × 10	и	.55	1.70	2 4 × 3 9¼
8 × 12	U	.64	1.95	2 4×4 6
8 × 14	"	.70	2.35	2 4×5 2
8 × 16	4	.77	2.70	2 4×510
9 × 12	4	.72	2.25	2 7×4 6
9 × 13	4	.75	2.35	2 7×410
9 × 14	•	.75	2.50	2 7×5 2
9 × 15	4	.79	2.65	$2 7 \times 5 6$
9 × 16	"	-81	2.75	2 7 × 5 10
9 × 18		.86	3.60	$2 7 \times 6 6$
10 × 12	"	.74	2.35	$2 10 \times 4 6$
10 × 14	"	.77	2.70	2 10 × 5 2
10 × 15	"	.81	2.95	2 10 × 5 6
10 × 16	4	.81	3.40	2 10 × 5 10
10 × 18	ч	.86	3.80	2 10 × 6 × 6
10 × 20	4	.98	4.25	2 10 × 7 2
12 × 14	"	.97	3.75	3 4×5 2
12 × 16	и	1 03	4.25	3 4×510
12 × 18	и	1 10	4 65	$3 4 \times 6 6$

13/8 Plain Rail Windows same price as 13/8 Check Windows.

PLAIN RAIL SASH.

Eight Lighted Windows.

Size of Glass.	Thickness.	Price per Wind o w.	Price per Window, Glazed.	Size of Window.
Inches. 8 × 10	Inches. 1 1-8	cts. -52	\$ cts. 1.25	Ft. In. Ft. In. 1 81/2×3 91/4
8 × 12	66	.58	1.45	1 8½×4 6
8 × 14	4.	.65	1.75	1 8½×5 2
8 × 16	16	.69	1.95	1 8½×5 10
9 × 12	46	.65	1.65	1 10½×4 6
9 × 14	**	.69	1.85	1 10½×5 2
9 × 16	**	.74	2.15	1 10½×5 10
10 × 12	**	.67	1.80	2 0½×4 6
10 × 14	• •	.70	2.00	2 0½×5 2
10 × 16	• 4	.75	2.50	2 0½×5 10
10 × 18	44	.84	2.80	2 0½×6 6
12 × 14	44	.80	2.60	2 4½×5 2
12 × 16	4.	-88	2.95	2 4½×5 10
12 × 18	"	.94	3.25	2 4½×6 6

¹³⁶ Plain Rail Windows same price as 136 Check Windows.

Eight-Lighted Windows.

Size of Glass.	Thick- ness.	Price per Window.	Price per Window, Glazed and Bedded.	Size of Window.
Inches. 9 × 12	Inches. 1 3-8	\$ cts.	\$ cts. 1.70	Ft. In. Ft. In. 1 11 × 4 6
9 × 14	- 66	.82	1.95	1 11×5 2
9 × 16		.88	2.20	1 11 × 5 10
9 × 18		.99	2.70	1 11×6 6
10 × 12	4.	.70	1.85	2 1 × 4 6
10 × 14		.83	2.15	2 1×5 2
10 × 16	**	.92	2.65	2 1 × 5 10
10 × 18	- 4	1.05	3.00	2 1×6 6
10 × 20	61	1.18	3.45	2 1×7 2
12 × 14	14	.85	2.65	2 5 × 5 2
12 × 16	4.	.95	3.05	2 5×5 10
12 × 18	66	1.07	3.35	25×66
12 × 20	66	1.26	3.85	2 5×7 2
14 × 16	44	1.21	3.65	2 9 × 5 10
14 × 18	46	1.23	3.95	2 9×6 6
14×20	4.6	1.38	4.40	29×72
14×22	14	1.57	4.80	29×710
14×24		1.82	5.35	2 9×8 6
10 × 16	1 3-4	1.67	3.40	2 1 × 5 10
10 × 18	14	1.80	3.75	$2 1 \times 6 6$
10×20	44	1.93	4.20	2 1×7 2
12×14	4.6	1.60	3.40	$2 5 \times 5 2$
12×16	* 6	1.70	3.80	$2 5 \times 5 10$
12 × 18	**	1.82	4.10	25×66
12×20		2.01	4.60	$2 5 \times 7 2$
12×22	66	2.15	5.05	$2 5 \times 7 10$
12×24	66	2.35	5.45	25×86
14×16	46	1.96	4.40	29×510
14×18		1.98	4.70	29×66
14×20	61	2.13	5.15	2 9×7 2
14×22	66	2.32	5.55	2 9×7 10
14 × 24	66	2.57	6.10	2 9×8 6

Segment Head, 13% thick, add 60 cents; 13% thick, add 80 cents. Half Circle Head, 13% thick, add \$1.20; 13% thick, add \$1.50. Sizes not given above, extra price. Sash not plowed and bored unless so ordered.

Twelve-Lighted Windows.

	Size of Glass.	Thickness.	Price per Window.	Price per Window, Glazed and Bedded.	Size of Window.
	nches. 3 × 10	Inches. 1 3-8	\$ cts.	\$ cts. 1.80	Ft. In. Ft. In. 2 4½ × 3 10
- 8	3×12		-88	2.30	2 4½×4 6
8	8×14	"	1.03	2.70	2 4½×5 2
	8×16	16	1.15	3.05	2 4½ × 5 10
	9 × 12	**	1.01	2.50	2 7½×4 6
	9 × 13	"	1.10	2.70	2 7½×410
8	9×14	66	1.13	2.85	2 7½×5 2
	9 × 15	44	1.18	3.00	2 7½×5 6
5) × 16	"	1.22	3.15	2 7½ × 5 10
2	9×18	"	1.35	4.05	2 7½×6 6
10) × 12	66	1.12	2.75	2 10½×4 6
10) × 14	"	1 21	3.15	2 10½ × 5 2
10	×15	16	1.26	3.40	2 10½ × 5 6
10)×16	66	1.27	3.85	2 10½ × 5 10
10) × 18	**	1.35	4.25	2 101/4 × 6 6
10)×20	"	1.67	4.90	2 10½ × 7 2
10)×22	46	1.90	5.60	2 10½ × 7 10
10) × 24	44	2.20	6.25	2 10½ × 8 6
12	2×14	"	1.57	4.25	3 4½×5 2
12	2×16	"	1.64	4.75	3 4½×510
12	2×18	"	1.76	5.20	3 4½ × 6 6
12	2×20	."	1.94	6.00	3 4½×7 2
12	2×22		2.15	6.65	3 4½×7 10
12	2×24	**	2.42	7.30	3 4½×8 6

For price of 134 inch Windows, add 75 cents each to above list. Sash not plowed and bored unless so ordered.

Four-Lighted Windows.

Thick- ness.	Price per Window.	Price Glazed, Single Strength.	Siz	ze of Windo	₩.
Inches. 1 3-8	\$ cts. .58	\$ cts. 1.65	Ft. 2	In. Ft. 1 × 3	In. 10
44	.65	1.90	2	1 × 4	2
"	.69	2.00	2	1 × 4	6
46	.76	2.15	2	1 × 4	10
66	-83	2.35	2	1 × 5	_2
**	.84	2.45	2	1 × 5	6
64	.90	3.05	2	1 × 5	10
61	1.00	3.35	2	1 × 6	2
**	1.05	3.50	2	1 × 6	6
"	.60	1.90	2	5 × 3	10
"	.65	2.10	2	5 × 4	2
"	.72	2.25	2	5 × 4	6
66	80	2 50	2	5 × 4	10
46	.85	2.70	2	5 × 5	2
6.	.88	3.30	2	5 × 5	6
16	95	3 50	2	5 × 5	10
66	1.00	3 75	2	5 × 6	2
	1 07	4.00	2	5 × 6	6
.,	1.13	4.20	2	5 × 6	10
61	1.20	4.70	2	5 × 7	2
16	1.40	5.20	2	5 × 7	6
"	1.49	5.50	2	5 × 7	10
66	1.58	5.85	2	5 × 8	2
66	1.68	5.95	2	5 × 8	6
	ness. Inches. 1 3-8	Thick-ness. Per Window. Inches. 1 3-8 558	Thickness. Price Window. Glazed Single Strength.	Thickness. Price Price Price Price Price Single Sing	Thickness. Prepare Glazed, Single Strength.

(Continued on next page.)

Windows, with Glass 11 inches wide, same price as 12 inch. Windows, with Glass 13 and 13½ inches wide, same price as 14 inch.

Four-Lighted Windows.

Size of Glass.	Thick- ness.	Price per Window.	Price Glazed, Single Strength.	Price Glazed, Double Strength.	Si	ze o	ł W	ind	.ow.
$\begin{array}{c} \text{Inches.} \\ 14 \times 24 \end{array}$	Inches. 1 3-8	\$ cts. 1.08	\$ cts. 2.85	\$ cts.	Ft.	9 11	۵. ×	Ft.	Iń.
14 × 26	44	1 10	3.05		2	9	×	4	10
14 × 28	64	1.10	3.70		2	9	X	5	2
14 × 30	••	1.13	4.05		2	9	X	5	6
14 × 32	44	1.15	4.25	5.20	2	9	X	5	10
14 × 34	6.6	1.20	4.50	5.50	2	9	×	6	2
14 × 36	**	1.23	4.75	5.90	2	9	×	6	6
14 × 38	46	1.36	5.15	6.30	2	9	×	6	10
14 × 40	16	1.38	5.45	6.70	2	9	X	7	2
14 × 42	16	1.58	6.20	7.80	2	9	×	7	6
14×44	64	1.66	6.30	7.85	2	9	×	7	10
14 × 46	- 64	1.87	6.90	8.65	2	9	X	8	2
14 × 48	46	1.92	7.35	9 30	2	9	X	8	6
15×24	44	1.22	3.15	3.80	2 1	0 3	śΧ	4	6
15 × 26	44	1.27	3.95	4 80	2 1	01	έ×	4	10
15 × 28	44	1.31	4.30	5.25	2 1	01/	έ×	5	2
15 × 30	**	1.36	4.55	5.55	2 1	01/	έ×	5	6
15 × 32	16	1.37	4.75	5.80	2 1	01/	έ×	5	10
15 × 34	44	1.41	5 00	6 20	2 1	03	έ×	6	2
15 × 36	**	1.45	5.65	6.95	2 1	01/	έ×	6	6
15 × 38	44	1 61	5.80	7.10	2 1	01/2	έ×	6	10
15 × 40	44	1.77	6.65	8.35	2 1	01	έ×	7	2

(Continued on next page.)

Four-Lighted Windows.

Size of Glass.	Thick- ness.	Price per Window.	Price Glazed, Single Strength,	Price Glazed, Double Strength.	Si	zc of	Wi	nd	ow.
$\begin{array}{c} \text{Inches.} \\ 15 \times 42 \end{array}$	Inches. 13-8	\$ cts. 1.88	\$ cts. 7 20 .	\$ cts. 9.05	Ft 2	10½		Ft. 7	In.
15×44	*1	2.00	7.35	9.20	2	103	٤×	7	10
15×46	**	2.15	8.45	10.70	2	103	έ×	8	2
15×48	**	2 25	8 55	10.80	2	103	é×	8	6
12 × 30	13-4	1.63	4.10	4.90	2	5	X	5	6
12 × 32	**	1 70	4.30	5.15	2	5	×	5	10
12 × 34	••	1.75	4.50	5 35	2	5	×	6	2
12×36	44	1.82	4.75	5.65	2	5	X	6	6
12 × 38	64	1.88	4.95	5.95	2	5	×	6	10
12×40	**	1.95	5 45	6.55	2	5	X	7	2
14×30	6.6	1.88	4.80	5.70	2	9	×	5	6
14×32	4.6	1.90	5.00	5.95	2	9	×	5	10
14×34	66	1.95	5.25	6 25	2	9	×	6	2
14×36	6.4	1.98	5.50	6.65	2	9	×	6	6
14×38	**	2.11	5.90	7.05	2	9	×	6	10
14 × 40	5.4	2.13	6.20	7.45	2	9	×	7	2
14×42	6.6	2.33	6.95	8 55	2	9	×	7	6
14×44	16	2.41	7.05	8.60	2	9	×	7	10
14 × 46	**	2.62	7.65	9 40	2	9	×	8	2
14 × 48	**	2 67	8.10	10.05	2	9	×	8	6

Segment Head, 13% thick, add 60 cents; 13% thick, add 80 cents. Half Circle Head, 13% thick, add \$1.20; 13% thick, add \$1.50.

Sizes not given, extra price.
All Four-Lighted Windows plowed and bored for weights.
For Windows 134 inch, where not listed, add 75 cents to list of 134 inch

Two-Lighted Windows.

Size of Glass.	Thick- ness.	Price per Window.	Price Glazed, Single Strength.	Price Glazed, Double Strength.	Size of Window.			
Inches. 16 × 24	Inches. 1 3-8	\$ cts.	\$ ets. 1.75	8 ets. 2.05	Ft. In. Ft. In. 1 81/8×4 6			
16 × 26	и	.78	2.30	2.75	1 8½×4 10			
16 × 28	"	.78	2.35	2.85	1 8½×5 2			
16 × 30	ч	.80	2.50	3.00	1 8½×5 6			
16 × 32	u	.85	2.65	3.25	1 8½×5 10			
16 × 34	ш	.97	2.90	3.50	1 8½×6 2			
16 × 36	6	.97	3.05	3.70	1 8½×6 6			
18 × 24	4	.70	2.20	2.65	1 101/6×4 6			
18 × 26	и	-81	2.40	2.90	1 101/6×4 10			
18 × 28	"	.82	2.60	3.20	1 101/6×5 2			
18 × 30	м	⋅85	2.65	3.25	1 101/6×5 6			
18 × 32	**	.92	2.85	3.45	1 10½×5 10			
18 × 34	-	.98	3.25	3.95	1 101/8×6 2			
18 × 36	и	1.02	3.50	4 25	1 101/6×6 6			
18 × 38	44	1.10	3.75	4.65	1 101/6×6 10			
18 × 40	ч	1.18	4.10	5.10	1 101/6×7 2			
20×24	4.0	.70	2 35	2 85	2 01/8×4 6			
20 × 26	ď	.81	2.65	3.25	2 01/6×4 10			
20 × 28	61	.82	2.70	3.30	2 01/4×5 2			
20 × 30	4	.85	2.90	3.55	2 01/8×5 6			

(Continued on next page.)

For Windows 1% thick, add 75 cents each. All Two-Lighted Windows plowed and hored for weights.

Two-Lighted Windows.

Size of Glass.	Thick- ness.	Price per Window.	Price Glazed, Single Strength.	Price Glazed, Donble Strength.	Size of Window.
Inches. 20 × 32	Inches. 1 3-8	\$ cts. .92	\$ cts. 3.30	\$ cts. 4.05	Ft. In. Ft. In. 2 01/8×5 10
20 × 34	ш	1.00	3.50	4.25	2 01/8×6 2
20 × 36	"	1.07	3.85	4.80	2 01/8×6 6
20 × 38	"	1.19	4.05	5.00	2 01/8×6 10
20 × 40		1.20	4.40	5.45	2 0½×7 2
22 × 24	"	.76	2 60	3.20	2 21/8×4 6
22 × 26	*	.84	2.85	3 45	2 21/8×4 10
22 × 28	"	-85	2.90	3.55	2 21/8×5 2
22 × 30	**	-88	3.30	4.00	2 21/8×5 6
22 × 32	44	.95	3.60	4.40	2 2½×5 10
22 × 34	-	1.00	3.75	4.70	2 21/8×6 2
22 × 36	-	1.07	4.15	5.20	2 21/8×6 6
22 × 38	*	1.19	4.35	5.45	2 2½×6 10
22×40	"	1.20	5.05	6.35	2 21/4×7 2
24 × 28	ш	.85	3.25	4.00	2 41/6×5 2
24 × 30	"	.88	3.50	4.35	2 41/8×5 6
24×32	**	.95	3.70	4.65	2 41/8×5 10
24×34	*	1.00	4.10	5.15	2 41/8×6 2
24×36	*	1.07	4.15	5.20	2 4½×6 6
24 × 38	4	1.19	5.00	6.35	2 4½×6 10

(Continued on next page.)

For Windows 1% thick, add 75 cents each.

All Two-Lighted Windows plowed and bored for weights.

Two-Lighted Windows.

						-	-
Size of Glass.	Thick- ness.	Price per Window.	Price Glazed, Single Strength.	Price Glazed, Donble Strength.	Size	of Winde	ow.
Inches. 24 × 40	Inches. 1 3-8	\$ cts. 1.25	\$ cts. 5.05	\$ ets. 6.40	Ft.	In. Ft. 41/8×7	In. 2
24 × 42	4	1.40	5.75	7.30	2	41/8×7	6
24 × 44	ш	1.49	5.85	7.40	2	41/8×7	10
24 × 46	"	1.58	5.95	7.45	2	41/8×8	2
24×48	ш	1.68	7.30	8.95	2	41/6×8	6
26 × 30	и	1.19	4.40	5.50	2	6½×5	6
26 × 32	44	1.21	4.45	5.55	2	61/6×5	10
26 × 34	и	1.26	4.95	6.10	2	61/4×6	2
26 × 36	44	1.30	5.25	6.55	2	61/8×6	6
26 × 38	44	1.38	5.85	7.35	2	6½×6	10
26 × 40		1.46	5.90	7.45	2	61/8×7	2
26 × 42	ol	1.52	5.95	7.50	2	61/6×7	6
26 × 44	**	1.60	6.80	8.60	2	6%×7	10
26 × 46	04	1.69	7.50	9.15	2	61/8×8	2
26 × 48	44	1.76	7.60	9.20	2	61/6×8	6
28 × 30	**	1.20	4.45	5.50	2	81/4×5	6
28 × 32	4	1.21	4.70	5.85	2	81/8×5	10
28 × 34	ч	1.26	5.20	6.50	2	81/4×6	2
28 × 36	u	1.30	5.55	7.10	2	81/4×6	6
28 × 38	и	1.38	5.65	7.15	2	81/4×6	10
28 × 40	4	1.46	5.70	7.25	2	81/4×7	2
28 × 42	44	1.52	6.75	8.30	2	81/8×7	6

(Continued on next page.)

For Windows 124 inch thick, add 75 cents each.
All Two-Lighted Windows plowed and bored for weights.

Two-Lighted Windows.

					The second secon	
Size of Glass.	Thick- ness.	Price per Window.	Price Glazed, Single Strength.	Price Glazed, Double Strength	Size of Wind	ow.
Inches. 28 × 44	Inches, 1 3-8	\$ cts. 1.60	\$ cts. 7.45	\$ ets 9 05	Ft. In. Ft. 2 81/8×7	In. 10
28×46	**	1.69	7.55	9.20	2 81/8×8	2
28×48	14	1 76	8 40	10.30	2 81/4×8	6
30×32		1.45	5.40	7.45	2 101/8×5	10
30×34	"	1.55	6.00	7.55	2 101/8×6	2
30×36	**	1.63	6.10	7.60	2 101/8×6	6
30×38		1.72	6.15	7.70	2 101/4×6	10
30×40	"	1 84	7.05	8.85	2 101/8×7	2
30×42	" .	1.92	7.75	9.35	2 101/4×7	6
30×44	44	2.03	7.85	9.45	2 101/8×7	10
,30×46	54	2.14	9.10	11.05	2 101/4×8	2
30×48	14	2.25	9.25	11.15	2 101/4×8	6
30×50		2 38	9.35	11.30	2 10½×8	10

For Windows 1¾ thick, add 75 cents each.
Segment Head, 1¾ thick, add 60 cents; 1¾ thick, add 80 cents. Half
Circle Head, 1¾ thick, add \$1.20; 1¾ thick, add \$1.50.
All Two-Lighted Windows plowed and bored for weights.

Sizes not given, extra price.

Marginal Light Sash.

For unglazed Marginal Light Sash, add 5 cents per light net to open list of regular Windows.

TRANSOM SASH.

One and Two Lights.

Size of Glass.	Thick- ness.	Price per Sash, Open.	Price 2 Light, Glazed.	Price 1 Light, Glazed.	Size	e of Op	ening.
Inches, 13 × 8	Inches.	cts. 32	\$ cts.	\$ cts.	Ft. 2	In. 6 ×	յր 12
13 × 10	"	32	80	1 00	2	6 ×	14
13×12	**	32	.90_	1.10	2	6 ×	16
14 × 8	44	40	.90	1.10	2	8 X	12
14×10	44	40	95	1.15	2	8 ×	14
14×12	44	40	1 10	1.30	2	8 ×	16
14×14	44	40	1.20	1 40	2	8 ×	18
15×10	44	.40	.95	1.15	2 1	0 ×	14
15 × 12	1. 44	40	1.15	1.35	2 1	0 ×	16
15 × 14	**	.40	1.25	1.45	2 1	0 ×	18
16 × 10	*1	40	1.05	1.25	3	0 ×	14
16 × 12	11	40	1.15	1.35	3	O ×	16
16 × 14	**	.40	1.25	1.45	3	0 ×	18
16 × 16	**	.48	1.45	1.65	3	0 ×	20

TRANSOM SASH, ONE AND TWO LIGHTS.

Size of Glass.	Thick- ness.	Price per Sash, Open.	2 Light, Glazed, Single Strength.	1 Light, Glazed, Single Strength.	1 Light, Glazed, Double Strength.
Inches, 22 × 12	In. 1 3.8	cts. .53	\$ cts. 1.55	\$ cts. 1.80	\$ cts. 2 20
22×14	4.	-53	1.65	2.05	2 45
22×16	44	-53	1.85	2.30	2 85
25×14	**	.60	1 95	2 35	3 10
25×16	4.6	.60	2.45	2.55	3 40
25×18	**	.65	2.60	2 85	3 80
25×20	**	65	2.85	3.15	4 25
28×14	**	.75	2.40	3.00	3.85
28×16	44	.75	2.70	3.30	4 25
28 × 18	**	.80	3 00	3 70	4.80
28×20	41	.85	3.25	4.25	5.50

For Transons 134 thick, add 40 cents each. Segment Top 138 thick, 4 feet and under in width, add 60 cents. Segment Top 138 thick, over 4 feet in width, add 80 cents. Segment Top 134 thick, 4 feet and under in width, add 85 cents. Segment Top 134 thick, over 4 feet in width, add \$1.10. For Circle End Transons 138 thick, add 65 cents. For Circle End Transons 138 thick, add 65 cents. For Circle End Transons 134 thick, add 90 cents. For Block Corner Transons, add 40 cents. Intermediate sizes will be charged at price of size next larger.

PANTRY CHECK RAIL OR LIP SASH.

Fonr-Lighted Windows, One Light Wide.

Size of Glass.	Thickness.	Price per Window.	Price per Window, Glazed.	Size of W	indow.
Inches. 9 × 12	Inches. 1 3-8	cts. 63	\$ cts. 1.40	Ft. In. 1 1 ×	
9 × 14	66	.70	1.65	1 1 ×	5 2
9×16		.75	1.85	1 1 ×	5 10
12×14	44	.73	1.85	1 4×	5 2
12×16	"	80	2.05	1 4×	5 10
12 × 18	"	.87	2.20	1 4 ×	6 6

PANTRY CHECK RAIL OR LIP SASH.

Two-Lighted Windows, One Light Wide.

Size of Glass.	Thickness.	Price per Window.	Price per Window, Glazed.	Size of Window.
Inches. 12 × 24	Inches. 1 3 8	cts. .60	\$ cts. 1.60	Ft. In. Ft. In. 1 41/8×4 6
12 × 26	"	.68	1.80	1 4½× 4 10
12 × 28	44	.73	1.85	1 4½× 5 2
12 × 30	16	.75	2.20	1 4½× 5 6
12 × 32		.80	2.30	1 4½× 5 10
12 × 34	••	-85	2 40	1 4½× 6 2
12 × 36	**	.87	2.50	1 4½× 6 6
14×24	44	.70	1.70	1 61/8×4 6
14 × 26	44	.75	1.85	1 6½× 4 10
14×28	46	.75	2.15	1 6½× 5 2
14 × 30		.77	2.30	1 6½× 5 6
14 × 32	44	.83	2.40	1 6½× 5 10
14×34	64	.88	2.70	1 61/6× 6 2
14 × 36	**	.90	2.80	1 61/8× 6 6

All Two-Lighted Windows plowed and bored.

SIDE LICHTS FOR DOORS.

With Monlded Panel below.

			-			
	SI	ZE.		Thickness.	Price per Pair, Unglazed.	Price per Pair, Glazed.
ln.		Ft.	In.	Inches.	\$ cts.	S c18.
12	×	6	10	1 3-8	3.20	4.70
12	X	7	0	**	3.20	4.90
12	×	7	6	**	3.40	5 25
14	×	6	10	**	3.40	5.25
14	X	7	0	44	3 60	5.50
14	X	7	6	4.	3 90	5.90
14	×	8	0	**	4.25	6.50

Above prices are for either two or three lights in each sash. 10 inch same price as 12 inch.

HOT BED SASH.

Made for 6 or 7 Inch Glass. Odd sizes extra price.

Size of Sash.	Thickness.	Price per Sash, Unglazed.	Price per Sash, Glazed.
Ft. In. Ft. In.	Inches.	\$ ets.	\$ ets.
3 0 × 6 0	1 3-8	2.00	4.25
3 0 × 6 0	1 3-4	2.50	5.00

FOUR LIGHT BARN SASH.

Size of Glass.			Thickness,	Price per Sash. Unglazed.	Price per Sash, Giazed.
	luci	ics.	anches.	cls.	S CIS.
8	×	10	1 1-8	32	.90
9	×	12	-	38	1.05
9	×	14	**	.45	1.30
y	Х	16	**	.45	1 45
10	×	12	-	43	1 20
10	X	14	**	50	1.35

FIFTEEN AND EIGHTEEN LIGHT WINDOWS.

For 15 Light Windows, add to price of 12 Light Windows 14. For 18 Light Windows, add to price of 12 Light Windows 14.

STORM SASH.

For price of Storm Sash, add to Check Rail Windows 50 cents each. For Ventilator in bottom rail, add 15 cents net.
For Swing Light, add 40 cents net.
Add for 1% thick, 25 cents each, net.

CELLAR SASH.

Two Lights.

Size of Glass.	Thick- ness.	Price per Sash, Open.	Price, Single Glazed.	Size of Sash.
Inches. 10 × 12	Inches, 1 3-8	cts. .32	\$ cts. .85	Ft. In. Inch. 2 1 × 16
$\frac{10 \times 12}{10 \times 14}$.32	.95_	$\frac{2}{2} \frac{1 \times 18}{1 \times 20}$
10 × 16	11	40	1.05	
10 × 18	••	40_	1.10	
12 × 12	4.6	.35	90	2.5×16
12 × 14	**	.40	1.10_	2.5×18
12 × 16		.40	1.15_	25×20
$\frac{12 \times 18}{12 \times 18}$.45	1.25	25×22
12 × 20	61	.50	1.35	$2 5 \times 24$
14×16		.45	1.25	2 9 × 20
$-\frac{14}{14} \times 18$.50	1.40	-2 9 \times 22
$\frac{14 \times 18}{14 \times 20}$.55	1.50	29×24
$\frac{14 \times 20}{14 \times 22}$		-60	1.60	29×26
$\frac{14 \times 22}{14 \times 24}$		65	1.70	2 9 × 28
1.7 V 5.2				

CELLAR SASH.

Three Lights.

Tinte digate.										
Size of Gluss.	Thick- ness.	Price per Sash, Open.	Price, Single Glazed.	Price, Double Glazed.	Size of Sash.					
Inches.	Inches. 1 1-8	cts. .20	\$ cts.	\$ cts. .85	$\begin{array}{cccccccccccccccccccccccccccccccccccc$					
8 × 10	"	.25	.75	1.05	$2 4 \times 1 2$					
9×12	14	-28	.85	1.25	$2 7 \times 1 4$					
9×13		.28	.90	1.30_	$2 7 \times 1 5$					
9×14		.32	1.00	1.40	27×16					
9×15	44	.32	1 00	1.45	$2 7 \times 1 7$					
9 × 16	14	.38	1.15	1.75	$2 7 \times 1 8$					
$\frac{3}{10} \times 12$		-32	.95	1.35	$2\ 10 \times 1 4$					
$\frac{10 \times 12}{10 \times 14}$	44	-32	1.00	1.45	$2.10 \times 1_{-6}$					
$\frac{10 \times 14}{10 \times 15}$		32	1.00	1.50	$2.10 \times 1_{-}7$					
$\frac{10 \times 13}{10 \times 16}$	46	-38	1.20	1.85	$2.10 \times 1_{-8}$					
12×12		-32	1.00	1.45	$3 4 \times 1 4$					
$\frac{12}{12} \times 14$		-38	1.25	1.90	$3 4 \times 1 6$					
		.40	1.35	2.10	$3 4 \times 1 8$					
$\frac{12 \times 16}{12 \times 18}$		45	1.50	2.30	$3 4 \times 110$					

O G FOUR PANEL DOORS.

Raised Panels Both Sides.

	SI	ZF	2.		Thickness.	Price, First Quality.	Price, Second Quality.	Price, Third Quality.
Ft. 2	In.	×	Ft.	In. O	Inches. 1 1-8	\$ cts. 2.20	\$ cts. 2.10	\$ cts.
2	4	×	6	4	44	2.40	2.30	
2	0	×	6	6	**	2.50	2.40	
2	6	×	6	6	44	2.50	2.40	2.00
2	6	×	6	8	44	2.65	2.55	
2	8	×	6	8	**	2.65	2.55	2.15
2	10	×	6	10	44	2.90	2.80	2 40
3	0	×	7	0	"	3.15	3.05	2.60
2	0	×	6	0	1 3-8	2.50	2 25	
2	4	×	6	4	44	2.65	2.40	
2	6	×	6	6	44	2.80	2.55	2 20
2	6	×	6	8	"	3.00	2.70	
2	8	×	6	8	- 11	3.00	2.70	2.30
2	6	×	6	10	"	3.20	2.90	
2	8	×	6	10	"	3.25	2.95	
2	10	×	в	10	**	3.30	3.00	2 60
2	0	×	7	0		3.40	3.10	
2	6	×	7	0	"	3.45	3.15	
2	8	×	7	0	41	3.50	3.20	
2	10	×	7	0	**	3.55	3.25	
3	0	×	7	0	"	3.60	3.30	2.90
2	8	×	7	6	"	4.15	3.85	
2	10	×	7	6	**	4.20	3.90	
3	0	×	7	6	"	4.25	3.95	
3	0	×	8	0	11	4.90	4.60	
3	0	×	8	6		5.80	5.50	
3	0	×	9	0	41	6.70	6 40	
				(C	ontinued on	novt nago		

(Continued on next page.)
For Doors prepared for oil finish, add 75 cents.

O C FOUR PANEL DOORS-Continued.

Raised Panels Both Sides.

		SIZE	1.		Thickness.	Price, First Quality.	Price, Second Qual ty.		
Ft.	In.	×	Ft.	In. 6	Inches. 1 3-4	\$ cts. 5.25	\$ cts 4.60		
2	8	×	6	8	4.6	5.50	4.75		
2	10	×	6	10	16	5.80	5.05		
2	6	×	7	0	16	6.05	5.30		
2	8	×	7	0	, "	6.10	5.35		
2	10	×	7	0	**	6:15	5.40		
3	0	×	7	0		6.20	5.45		
2	6	×	7	6	"	6.80	6.05		
2	8	×	7	6		6.85	6.10		
2	10	×	7	6	56	6.95	6.20		
3	0	×	7	6	"	7.00	6.25		
. 3	0	×	8	0		7.75	7.00		
3	0	×	8	6		8.80	8.05		
3	0	×	9	0		9.85	9.10		
Circo		2	aka.						

Sizes not given above, extra price.

INCH DOORS.

Four Panel O G.

	S	IZE	1.		Price, First Quality.	Price, Second Quality.	
Ft. 2	In. 0	×	Ft.	In. O	\$ cts. 1.80	\$ cts. 1.70	
. 2	4	×	6	4	1.90	1.80	
2	0	×	6	6	2.25	2.15	
2	6	×	6	6	2.25	2.15	
2	8	×	6	8	2.45	2.30	

Inch Doors are made out of inch lumber, and finish up % inch thick. For Doors prepared for oil finish, add 75 cents.

O C FIVE PANEL DOORS.

Raised Panels Both Sides.

SIZE.	Thickness.	Price, First Quality.	Price, Second Quality.						
Ft. In. Ft. In. 2 6 × 6 6	Inches. 1 3-8	\$ cts.	\$ cts. 2.75						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	44	3 20	2.90						
28×68	41	3.20	2 90						
2 6 × 6 10	41	3 40	3.10						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	**	3.45	3.15						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		3.50	3.20						
$2 0 \times 7 0$	4+	3.60	3 30						
26×70	8-6	3.65	3.35						
28×70	84	3 70	3 40						
$2 10 \times 7 0$	**	3.75	3 45						
$3 0 \times 7 0$. 64	3.80	3 50						
28×76	**	4.35	4 05						
$2\overline{10} \times 7\overline{6}$	1.	4.40	4.10						
$3 0 \times 7 6$	**	4.45	4.15						
$3 0 \times 8 0$	44	5.10	4.80						
3 0 × 8 6	**	6.00	5 70						
$3 0 \times 9 0$	41	6.90	6.60						
2 6 × 6 6	1 3-4	5.45	4.80						
2 8 × 6 8	41	5.70	4 95						
$2 10 \times 6 10$	41	6.00	5 25						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	41	6.25	5.50						
$2 8 \times 7 0$	46	6.30	5.55						
$2 10 \times 7 0$	44	6.35	5 60						
$3 0 \times 7 0$	14	6.40	5.65						
$2 6 \times 7 6$	**	7.00	6.25						
28×76	**	7.05	6.30						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	46	7.15	6.40						
	**	7 20	6.45						
$3 0 \times 8 0$	**	7.95	7.20						
$3 0 \times 8 6$	4.6	9.00	8.25						
$3 0 \times 9 0$	44	10.05	9 30						


For Doors prepared for oil finish, add 75 cents cach.


P G FIVE PANEL DOORS.

Raised Panels Both Sides.

-						T
	SIZ	E.		Thickness.	Price,	Price,
	5123		1		First Quality.	Second Quality.
Ft.	In.	Ft.	In.	Inches.	\$ cts.	\$ cts.
2	6 ×	6	6	1 3-8	\$ cts. 3.20_	2.95
$\frac{2}{2}$	6 ×	6	8	41	3.40	3.10
2	8 ×	6	8	16	3 40	3 10
2	6 ·×	6	10	16	3.60_	3.30
2	8 X	6	10	61	3 65	3.35
2	10 ×	6	10	44	3.70	3.40
2	0 ×	7	0	44	3.80	3.50
2	6 ×	7	0	41	3.85	- 3.55
2	8 ×	$^{-}7^{-}$	0	41	3 90	3 60
2	10 ×	7	0	44	3.95	3.65
3	0 ×	7	0	44	4.00	3.70
2	8 ×	7	6	6 66	4.55	4 25
2	10 ×	7	6	64	4.60	4-30
222222222222	0 ×	7	6	44	4.65	4.35
	0 ×	8	0	44	5 30	5.00
3	0 ×	8	6	41	6.20	5.90
3 3 3 2	0 ×	9	0	41	7.10	6 80
2	6 ×	6	6	1 3-4	5.65	5.00
2	8 X	6	8	41	5.90	5 15
2	10 ×	6	10	44	6.20	5 45
2 2 2	6 ×	7	0	44	6.45	5.70
2	8 ×	7	0	44	6.50	5.75
2	10 ×	7	0	**	6.55	5.80
2 3	0 ×	7	0	64	6.60	5.85
2	6 ×	7	-6	84	7.20	6 45
2	8 ×	7	6	41	7 25	6.50
2 2 3 3 3 3	10 ×	7	6		7.35	6.60
3	0 ×	7	6	44	7.40	6.65
3	0 ×	8	0	41	8.15	7.40
3	0 ×	8	6	"	9.20	8.45
3	×	9	0	41	10.25	9.50

For Doors prepared for oil finish, add 75 cents each.






O C SASH DOORS.

	SIZE.		Thickness.	Four I Square-T		Two Lights, Circle-Top Glass.		
0.000			Thic	Price, Unglazed.	Price, Glazed.	Price, Unglazed.	Price, Glazed.	
Ft.	In. Ft. 6 × 6	ln.	In. 13%	\$ cts. 3.15	\$ cts. 4.65	\$ cts. 3-80	\$ cts. 5 75	
2	8×6	8	4.6	3.35	5.15	4 00	6 25	
2	6×6	10	44	3 65	5 65	4.30	7 20	
2	10×6	10	44	3.65	5.65	4 30	7.20	
2	6×7	0	4.6	3.95	6.20	4.60	7.75	
3	0×7	0	44	3.95	6.20	4.60	7.75	
2	6×7	6	54	4.60	7.30	5.25	8.90	
3	0×7	6	•6	4.60	7.30	5.25	8.90	
2	6×8	0	66	5.25	8.95	5.90	10.95	
3	0×8	0	**	5.25	8.95	5.90	10.95	

Doors for glass in first quality only. 11/8 Sash Doors same price as 13/8.






SASH DOORS, MOULDED ONE SIDE.

SIZE.			Thickness	Two Ligh Top (One Light, Upper Corners Circle.			
				Price, Unglazed.	Price, Glazed.	Price, Unglazed.	Price, Glazed.		
Ft	In. Ft.	In.	ln.	\$ cts.	\$ cts.	\$ cts.	\$ cts.		
2	6×6	6	13%	6.45	8.30	6.45	9 00		
2	8×6	8	46	6.80	8.75	6 80	10.25		
2	6×6	10	**	7.20	9.90	7.20	11.15		
2	10 × 6	10	4.	7.20	9.90	7.20	11.15		
2	6×7	0	44	7.60	10.55	7.60	12.20		
3	0×7	0,	**	7.60	10 55	7.60	12 20		
2	6×7	6	**	8.30	11.95	8.30	13.15		
3	0×7	6	**	8.30	11.95	8.30	13 15		
2	6×8	0	**	9.05	13.65	9.05	15.20		
3	0×8	0	**	9.05	13.65	9.05	15 20		

11/4 Sash Doors same price as 13/4 inch. For 13/4 Doors, add to this list the difference between 13/4 and 13/4 Four Panel Doors, same size.








Jenny Lind.

SASH DOORS, MOULDED ONE SIDE.

SIZE.	Thick- ness.		ield, Square Top.	Jenny Lind, One Lig't, Segm't Top.					
		Price, Unglazed.	Price, Glazed.	Price, Unglazed.	Price, Glazed.				
Ft. In. Ft. In. 2 6 × 6 6	Inches. 1 3-8	\$ cts. 5.45	\$ cts. 8.00	\$ cts. 6.45	\$ cts. 9.00				
2 8×6 8	**	5.80	9.25	6.80	10.25				
210×610	44	6.20	10.15	7.20	11.15				
$3 0 \times 7 0$	"	6.60	11.20	7.60	12.20				
$3 0 \times 7 6$	44	7.30	12.15	8.30	13.15				
3 0 × 8 0	44	8.05	14.20	9.05	15.20				





Grant.

Oshkosh.


SASH DOORS, MOULDED ONE SIDE.

SIZE.		Thick-	Gra	nt. Oshkosh.		rosh.
5121.		ness.	Price, Unglazed.	Price, Glazed.	Price, Unglazed.	Price, Glazed.
Ft. In. Ft. 2 6 × 6	In. 6	inches, 13-8	\$ cts. 6.75	\$ cts. 9.30	\$ cts. 9.00	\$ cts. 11.55
28×6	8	64	7.10	10.55	9.30	12.75
2.10×6	10	44	7 50	11.45	9.65	13.60
3 0×7	0	11	7.90	12.50	10.10	14.70
3 0×7	6	44	8.60	13.45	10.75	15.60
3 0 × 8	0	6.6	9.35	15.50	11.65	17.80



FIVE PANEL CHAMFERED AND STUB MOULDED DOORS.

	-		
SIZE.	. Thickness.	Price, Chamfd and Moulded One Side, and O. G. One Side.	Price, Chamf'd and Moulded Two Sides.
Ft. In. Ft. In.	Inches.	\$ cts.	\$ cts.
28×68	1 3-8	5.95	8.15
$2\ 10 \times 6\ 10$	44	6.35	8.55
$3 0 \times 7 0$	**	6.75	9.00
$3 0 \times 7 6$	41	7.45	9.70
$3 0 \times 8 0$	"	8.20	10.45
28×68	1 3-4	8 55	10.75
$2 10 \times 6 10$	"	8.95	11.15
$3 0 \times 7 0$	44	9.50	11.75
$3 0 \times 7 6$	"	10.45	12.70
$3 0 \times 8 0$	"	11.25	13.50



FOUR PANEL MACHINE CHAMFERED DOORS.

-						
	SIZE.		Thickness.	Price, Chamfered One Side.	Price, Chamfered Two Sides.	
	In. Ft. 8 × 6	In. 8	Inches. 1 3-8	\$ ets. 3.80	\$ ets. 4.30	
2	10 × 6	10	æ	4.10	4.60	
3	0 × 7	0	4	4.40	4.90	
3	0 × 7	6	a	5.05	5 55	
3	0 × 8	0	44	5 70	6.20	

FIVE PANEL RAISED MOULDED DOORS.

Size.	Thickness.	Price, Moulded One Side.	Price, Moulded Two Sides.
Ft. In. Ft. In. 2 8×6 8	Inches. 1 3 8	\$ cts. 5.70	\$ cts. 7.65
2.10×6.10	4.6	6 10	8.05
$3 0 \times 7 0$	64	6 50	8 50
$3 0 \times 7 6$	65	7.20	9.20
3 0×8 0	"	7.95	9.95

FOUR PANEL MOULDED DOORS.

Fiush or Sunk Moulding.

SIZE.	Thickness.	Price, Moulded One Side.	Price, Moulded Two Sides.
Ft. In. Ft. In. 2 4×6 4	Inches. 1 3-8	\$ cts. 3.95	\$ cts. 4.65
2 0×6 6	"	3.95	4.65
2 6×6 6	"	3.95	4.65
2 6×6 8	64	4.25	5.00
2 8×6 8		4.25	5.00
2 10 × 6 10	64	4.55	5.30
2 6×7 0	"	4.90	5.65
2 8×7 0	44	4.95	5.70
2 10 × 7 0	44	5.00	5.75
3 0×7 0	4.6	5.05	5.80
2 6×7 6	44	5.65	6.40
2 8×7 6	44	5.65	6.40
2 10 × 7 6	46	5.70	6.45
3 0×7 6	- 1	5.75	6.50
3 0×8 0	64	6.45	7.25
2 8×6 8	1 3-4	6.75	7.60
2 10 × 6 10	"	7.15	8.00
3 0×7 0	4.6	7.65	8.55
2 8×7 6	it.	8.35	9.35
2 10 × 7 6	"	8.45	9.45
3 0×7 6	16	8.50	9.50
3 0 × 8 0	44	9.30	10.30
3 0 × 8 6	16	10.25	11.25

Add to price of Moulded Doors for Circle-Top Panels or Segment, \$1.45 for each side. Sizes not given above, extra price. For Doors prepared for oil finish, add 75 cents.

FOUR PANEL MOULDED DOORS.

Raised Moulding.

	SIZE.		Thickness.	Price, Moulded One Side.	Price, Moulded Two Sides.
Ft. 2	In. Ft. 0 × 6	In. 6	Inches. 1 3-8	\$ ets. 4.65	\$ cts. 6.10
2	6 × 6	6		4.65	6.10
2	6 × 6	8	66	5.00	6.45
2	8 × 6	8	46	5.00	6.45
2	10 × 6	.10	*1	5.40	6.85
2	6 × 7	0	16	5 65	7.15
2	8 × 7	0	16	5.70	7 20
2	10 × 7	0		5.75	7.25
3	0 × 7	0	66	5.80	7.30
2	6 × 7	6	66	6.40	7.90
2	8 × 7	6	44	6.40	7.90
2	10 × 7	6	- 66	6.45	7.95
3	0 × 7	6	66	6.50	8.00
3	0 × 8	0	"	7.25	8.75
3	0 × 8	6		8.15	9.65
2	8 × 6	8	1 3-4	7.60	9.05
2	10 × 6	10	"	8.00	9.45
2	6 × 7	0	6.6	8.40	9.90
2	8 × 7	0	16	8.45	9.95
2	10 × 7	0	61	8.50	10.00
3	0 × 7	0	**	8.55	10.05
2	8 × 7	6	"	9.35	10.85
2	10 × 7	6	46	9.45	10.95.
3	0 × 7	6	44	9.50	11.00
3	0 × 8	0	44	10.30	11.80
3	0 × 8	6	16	11.25	12.75
	11				

Add to price of Monided Doors for Circle Top Panels or Segment, \$1.45 for each side. Sizes not given above, extra price. For Doors prepared for oil finish, add 75 cents.

DOUBLE FRONT DOORS.

Heavy Raised Mouldings Outside, Circle-Top Paneis.

	SIZE.		Thickness.	Price per Pair.
	n, Ft. 0 × 7		Inches. 1 3-4	\$ cts. 20.70
4	1 × 7	0	46	20.70
4 6	3 × 7	0	44	20.70
4 6	3 × 7	6	**	22.60
4 6	3 × 8	0	41	24.50
5 () × 7	6	"	22.60
5 () × 8	0	"	24.50

STORE DOORS.

Moulded Panel Outside. Single Strength Glass.

SIZE.	Open per pair. 1 3-8 in.	Glazed, 2-light each Door, per	Open per Pair.	Glazed; 2-light each Door, per
		pair. 1 3.8 in.	1 3-4 in.	pair. 1 3-4 in.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$ cts. 9.75	\$ ets. 13.05	\$ ets. 15.20	\$ ets. 18.50
46×76	10.50	14.50	16.90	20.90
$4 6 \times 8 0$	11.40	15.40	18.60	22.60
5 0 × 7 0	10.40	14.15	15.75	19.50
5 0 × 7 6	11.40	15.70	17.50	21.80
5 0 × 8 0	12.50	17.20	19.15	23.85
5 0 × 8 6	13 65	19.15	21 00	26.50

Add for Double Strength Glass 10 per cent, of 134 Glazed List,

Add for Dollnie Strength Glass 10 per cent, to open list. We are prepared to make any size, single or double thick, no short notice; also Store Sash, Panels, etc.

We also make Store Doors and Store Sash, moulded both sides on the glass, either Square, Circle-Top, Segment, or Circle Corners, to order. In ordering, always state whether glazed or unglazed, and whether single or double strength glass is wanted.

Store Doors for or with Shutters, extra price.

OUTSIDE BLINDS.

Twelve-Lighted Windows.

SIZE.	Price, Rolling Slats.	Price, Stationary or 1/2 Stationary Slats.			
8 × 10	1 1/4 inches. \$ 1.55	1 1/4 inches. \$ 1.80	1 % inches. \$2.30		
8 × 12	1.85	2.10	2.60		
8 × 14	2.00	2 25	2.75		
9 × 12	1.85	2.10	2.60		
9 × 13	2.00	2.25	2.75		
9 × 14	2.00	2.25	2.75		
9 × 15	2.20	2.45	2 95		
9 × 16	2.20	2.45	2 95		
9 × 18	. 2.50	2.75	3.25		
10 × 12	2.00	2.25	2.75		
10 × 14	2.20	2.45	2.95		
10 × 15	2.35	2.60	3.10		
10 × 16	2.35	2.60	3.10		
10 × 18	2.65	2.90	3 40		
10 × 20	2.95	3.20	3 70		
10 × 22	3.25	3.50	4 00		
10 × 24	3 50	3.75	4 25		

For 12-inch Twelve-Light Blinds, add 35 cents to price of 10-inch.

Eight-Lighted Windows.

SIZE.	Price, Rolling Slats.	Price, Stationary or ½ Stationary		
9 × 12	11/8 inches, \$ 1.85	1 1/4 inches. \$2 10	1 % inches. \$2.60	
9 × 14	2.00	2.25	2.75	
9 × 16	2.20	2.45	2.95	
9 × 18	2.50	2.75	3.25	
10 × 12	1.85	2.10	2.60	
10 × 14	2.00	2.25	2.75	
10 × 16	2.20	2 45	2.95	
10 × 18	2.50	2.75	3.25	
10 × 20	2.75	3.00	3.50	
12 × 14	2.00	2.25	2.75	
12 × 16	2.20	2.45	2.95	
12 × 18	2.50	2.75	3.25	
12 × 20	2.75	3.00	3.50	

(Continued on next page.)

OUTSIDE BLINDS-Continued.

Four-Lighted Windows.

SIZE.	Price, Rolling Slats.	Price, Stationary or 1/2 Stationary	
Inches	1 1/2 inches.	1 1/2 inches.	1 3% inches.
12×20	\$1.55	\$1.80	\$2 30
12 × 22	1.85	2.10	2.60
12×24	1.85	2.10	2.60
12×26	2.00	2.25	2.75
12×28	2.00	2.25	2.75
12×30	2.20	2 45	2.95
12×32	2.20	2 45	2.95
12×34	2.50	2.75	3 25
12×36	2.50	2.75	3 25
12 × 38	2 75	3 00	3.50
12×40	2.75	3.00	3 50
14×24	2.00	2 25	2.75
14×26	2.20	2.45	2 95
14×28	2 20	2 45	2.95
14×30	2.35	2 60	3.10
14×32	2.35	2.60	3.10
14×34	2.65	2 90	3 40
14×36	2.65	2 90	3 40
14×38	2.95	3 20	3 70
14×40	2.95	3.20	3 70
14×42	3.25	3.50	4.00
14×44	3.25	3.50	4.00
14×46	3.50	3 75	4.25
14×48	3.50	3.75	4.25

13% thick, add to price of 13%, per pair, 50 cents. Segment Head Blinds, add 75c. per pair. Half Circle Head Blinds, add \$1 50 per pair. Size of Blinds measure same as Check Rail Window, with the addition of 1 inch to the bottom Rail, for Sub-sill Window Frames, which can be cut off if necessary.

OUTSIDE BLINDS.

Two-Lighted Windows.

Blinds for windows with glass 20, 22 or 24 inches wide, same price as Blinds for Four-Lighted Windows with 12 inch glass, same height. Blinds for Windows with glass 26, 28 or 30 inches wide, same price as Blinds for Four-Lighted Windows with 14 inch glass, same height.

INSIDE BLINDS.




Fig. 1-All Slats.

Fig. 2-1/2 Panels, 1/2 Slats.

O G Panel or Rolling Slats, measuring height of window, ordinary width, per foot, subject to regular discount: Two-fold, 70 cents; Three-fold, 90 cents; Four-fold, \$1.10; Six-fold, \$1.50.

Thickness, 11/4 inch, unless otherwise ordered.

The above prices are for Pinc. If hardwood, such as Cherry, Ash,

Maple or Black Walnut are wanted, send for estimate.

We make Inside Blinds that are not excelled, either in workmanship or style, in this market.

Directions for Ordering.

In all cases give the exact outside measure of the blinds wanted.

Give the number of folds.

State if blinds are to be all slats or part panels, and if so, what part. State distance from top of window to where blinds are to be cut.

If blinds fold in box, give the size of box. State if blinds are to be painted or finished in oil.

DOOR BLINDS.

SIZE.	Thickness.	Price,
Ft. In. Ft. In. 2 6 × 6 6	Inches. 1 1-8	\$ cts. 2.50
2 8 × 6 8	*4	2.75
$2 10 \times 6 10$	**	3.00
$3 0 \times 7 0$	44	3.30

13% thick, add to price of 13%, 50c. per pair. In ordering, state if Blinds are to be a pair or single piece, to each opening.

OUTSIDE DOOR FRAMES.

FOR WOOD BU	olding.	FOR BRICK BUILDING.		
SIZE.	Plain Outside Casings, 1½x5, 1½ in. Rabbet- ed Jambs for 4 inch Stud.	SIZE.	With 11 inch Rabbeted Jambs and Monlded HangingStile.	
Ft. In. Ft. In. 2 6×6 6	\$ ets. 3.00	Ft. In. Ft. In. 2 6×6 6	\$ cts. 4.65	
2 8×6 8	3.10	2 8×6 8	4.75	
2 10 × 6 10	3.25	2 10×6 10	4.90	
3 0×7 0	3.35	3 0×7 0	5.00	

For Outside Frames with Monlded Caps, add 75 cents.

Orders for Frames should give width of Jambs wanted.

Orders for Ontside Door Frames should give width of Rabbet to receive Door.

INSIDE DOOR FRAMES.

	8	IZ E	ē.		With 5 Inch Casings both Sides, with \$\frac{7}{6} \times 5\frac{5}{4} Jambs.
Ft. 2	In. 6	×	Ft.	In. 6	\$ cts. 2.80
2	8	×	6	8	2.90
2	10	×	6	10	3.00
3	0	×	7	0	 3 10

Extra price for wider Jambs.

WINDOW FRAMES.

For Four-Light Windows.

WOOD BUIL	DING.	BRICK BUILDING.		
Size of Glass.	Check Rail Sash	134 inch Plank Jambs.	Box Frames, with Pulleys.	
Inches. 10 12 or 14×20	\$ cts. 2.40	\$ cts. 2.75	\$ cts. 3.60	
10 12 or 14×22	2.50	3.00	4 00	
10 12 or 14×24	2.65	3 25	4.30	
10 12 or 14×26	2.85	3.40	4 45	
10 12 or 14×28	3.00	3.60	4.55	
10 12 or 14×30	3.10	3.75	4.70	
10 12 or 14×32	3.15	3 85	4.80	
10 12 or 14×34	3.25	4.00	5.00	
10 12 or 14×36	3.40 ·	4.15	5.20	
10 12 or 14740	3.65	4.35	5 50	
10 12 or 14×44	3.90	4.60	5.75	
10 12 or 14×48	4 20	4.80	6.00	

Frames for Two-Light Windows, same price as four lights for same length.

Frames for wood building with Pulleys for Weights, add 75 cents.

WINDOW FRAMES.

For Eight-Light Windows.

SIZE	WOOD B	UILDING.	BRICK BUILDING.	
of GLASS.	Plain Rail Sash.	Check Rail Sash.	1% inch Plank Jambs.	Box Frames with Pulleys.
Inches. 12×14	\$ cts. 2.15	\$ cts. 3 00	\$ cts. 3.60	\$ cts. 4.55
12×16	2.40	3.15	3.85	4 80
12×18	2 65	3.40	4 15	5.20
12×20	2.90	3.65	4 35	5.50
12×22	3 15	3 90	4.60	5.75
12×24	3.40	4.20	4.80	6.00

WINDOW FRAMES.

For Twelve-Light Windows.

SIZE	WOOD B	UILDING.	BRICK BUILDING.	
of GLASS.	Plain Raii Sash.	Check Rail Sash.	134 inch Plank Jambs.	Box Frames with Pulleys.
Inches. 8×10	\$ cts. 1.65	\$ cts. 2.40	\$ cts. 2.75	\$ cts. 3.60
9×12	1.90	2.60	3.20	4.10
9×14	2.15	2.80	3.45	4.35
9×15	2 40	3 00	3.70	4.60
9×16	2.40	3 00	3.70	4.60
9×18	2.65	3 25	4.00	4.85
10×12	2.00	2.75	3.25	4 30
10×14	2.25	3 00	3 60	4.55
10×16	2.50	3.15	3 85	4.80
10×18	2.75	3.40	4.10	5.10
10×20	3 00	3.65	4.25	5.35

THE KELLY PATENT WINDOW BLIND.

Having secured the right to manufacture these Blinds of the patentee, we are prepared to furnish them on short notice. The protection of these Blinds, when the slats are closed, against wind, rain, dust or the rays of the sun, over the ordinary Window Blind, has brought them into extensive use, and they have given universal satisfaction. They are equally adapted to both ontside and inside. Small samples of these Blinds sent without cost, except freight or express charges, upon application.

ROPE MOULDINGS.

Particular attention is called to the variety and styles of these Mouldings, ranging in size from 3½ iuch to 4 inches in diameter. Circles of all sizes worked to order.

PRICE LIST.

Pine or	White Wood.	Walnut or Hard Wood.
	Per ft. (lineal). Per ft. (lineal)
		2. 38, 14 and 5% inch 8c
	6	c. 1 inch
		11/4 "
	10	
		30c.
3/3		350.
31/2 "		2. 3½ " 35c.

Circles from three to four times the price of straight; cut right and left. The above prices not subject to regular discount.

EASTLAKE FINISH.

We make a specialty of this department and can furnish this finish in the latest styles on short notice. Have a large staff of first-class workmen, and can guarantee quality and beanty of execution equal to anything to be found in this country. We give a few new styles in our Moulding Book, just issued, and will be pleased to furnish estimates to any one contemplating the use of this style of ornamentation.

WOOD-CARVING.

In connection with our Eastlake finish department, we employ a number of carvers, and are prepared to furnish any kind of work in this line also at reasonable prices and of beautiful workmanship.

WEIGHTS.

Weight of Doors.

	s	IZE.		1	1-8	1	3-8
4	Panel	, 2-6 >	< 6-6 < 6-8	30	lbs.	35 38	lbs.
1	44	2-10 >			**	42	**

Add 12 lbs. for 1% thick to weight of 1% inch.
4 Panel, 2 6 x 6-6 inch, 23 lbs.

Weight of 8-Light Windows.

Size.	Thick- ness.	Glazed.	Un- glazed.			
9 × 12 10 × 14 10 × 16 12 × 14	1 3-8	18‡ lbs. 20 " 23 " 24 "	8 lbs. 11 " 12 " 11 "			
12×16	44	25 "	12 "			
12×18	44	28] "	13 "			
12×20	"	331 "	14 "			

Weight of Blinds.

Size.	Thick- ness.	Weight
8×10 9×12	1 1-8	141 lbs. 181 "
$10 \times 14 \dots 10 \times 16 \dots$	44	244 "
10×18 10×20	**	27§ "

. Weight of Mouldings.


1 inch \times 1 inch, per 100 lineal feet, 15 lbs.


Weight of 12-Light Windows.

Size.	Thick- ness.		
8 × 10 9 × 12	1 1-8	151 lbs. 20	6 lbs.
9 × 12	1 3-8	23 "	9 "
10×14	11	274 "	11 "
10×16	**	311 "	12 "
10×18	44	341 "	13 "

Weight of 4-Light Windows.

Size.	Thick- ness.	Glazed.	Un- glazed .	
12 × 24	1 3-8	21‡ lbs.	11 lbs.	
12×28	41	24 "	114 "	
12×32	64	26 "	13 "	
12×36	4+	30 "	14 "	
14×30	44	28 "	11± "	
14 × 32	~ 11	29 "	121 "	
14 × 34	44	30 "	131 "	
14 × 36	66	31 "	15 "	












Orders for Cut Glass should give the exact size, including rabbet for glass; also the size between the mouldings.





No. 739.



No. 717.



No. 717.

CUT CLASS.
Can franish any pattern desired in either Cut or Sand Blast Glass.



No. 703.

FEBRUARY 1, 1889.

PALMER, FULLER & CO.

WHOLESALE MANUFACTURERS OF

STAIRS,

STAIR RAILING,

Balusters, Newel Posts, Mantels,

PEW ENDS, ETC.,

Of Every Description, both Plain and Fancy, of

HARD OR SOFT WOOD.

COR. WEST TWENTY-SECOND AND UNION STS.

Chicago, III.

CHICAGO, February 1st, 1889.

DEAR SIR:

In our frequent issues of these books our constant aim is to keep before the trade, and those contemplating building, all the new and improved styles and designs in STAIRS, STAIR RAILING, BALUSTERS and NEWEL POSTS, such as are being used in our city and throughout the country, which enables those requiring such goods to make their selections.

We keep in stock the largest variety of Stair Material, to be found in the country, and having the latest and most improved machinery, we are enabled to furnish anything in this line at the very Lowest Prices, and on short notice.


Having constantly on hand a large stock of Thoroughly Seasoned Black Walnut, Cherry, Mahogany, Ash, and other fancy woods, including a choice assortment of Venecrs, we are prepared to furnish plain, fancy, or highly ornamental Stair Cases, all ready to put together; or, if desired, we put them together and finish complete, ready to set up. We are also prepared to furnish Stair Railing, Balasters and Newel Posts to suit every description of Stairs, with crooks, etc., moulded and fitted together with bolts, complete, ready to be put up. Our Stairs and Stair Railing, when made ready to put together, are fitted, then marked and taken apart, so that any carpenter can set them up and finish in the building.

All our work is delivered on board cars or boats free of charge. Estimates, Price Lists, Moulding Books, or any information in our line, will be furnished free by return mail.

Inviting a personal examination of our stock, we remain,

Yours truly,

PALMER, FULLER & CO,



OFFICE RAILING.

The above cut represents a neat style of Office Railing, with a light, fancy, self-closing gate, made to swing both ways.

AVERY LIBRARY
COLUMBIA UNIVERSITY




Fig. G.




Fig. H.




Fig. K.




Fig. L.




Fig. M.




Fig. N.




Fig. 36.

Fig. 37.
For prices, see page 88.

Fig. 38.





Fig. 4,



Fig. 7. For price, see page 88,



Fig. 14.
For price, send for Estimate,



Fig, 18,




Fig. 39.

For Prices, send for Estimate.



Fig. 40.





Fig. 21.

Fig. 24.



The above cuts represent the latest styles of angle Newels for Platform Stairs; $a\ a\ a$ show the position of rail, and $b\ b\ b$ show the position of string or face-board.

In order to make angle posts correctly, we require a plan of the stairs.

For prices, see page 89.



Fig. 29.




Fig. 34.




For Price, send for Estimate.

Fig. 31.











Fig. 41.

For Prices, send for Estimate.





For Prices, see page 87.



No. 25.

No. 26.

No. 27.

No. 28.





Fig. 29.

Fig. 30.

Fig. 31.

Fig. 32.





No. 36.




No. 37.




For Prices, set d for Estimates.


No. 38.



Price, per foot, for Black Walnut or Cherry Straight Rail, 4 inch, 23 cents. | 4% inch, 25 Cents.












No. 595.
Price, per foot, for Black Walnut or Cherry Straight Rail, 28 cents.



Price, per foot, for Black Walnut or Cherry Straight Rail, 26 cents.





Price, per foot, for Black Walnut or Cherry Straight Rail, 36 cents.








Price, per foot, for Black Walnut or Cherry Straight Rail, 28 cents.














Palmer, Huller & Co.

Fancy Turned Balusters.

We turn all our Stair Balusters 2 ft. 3½ in, and 2 ft. 7½ in. long, and keep these lengths always in stock. Are prepared to furnish, on short notice, any length or styles desired. Odd lengths cost extra.

Prices for Fancy Turned Cherry or Black Walnut Balusters, similar to Cuts on Page 67:

		Page 6				
116 i	uch B	alusters	. No. 6, e	ach	\$.09
134	46	+6	1,			.11
2	44	6.6	1,			. 13
21/4	61	6 %	" 1,			.15
216	44	4.4	" 1,	44		. 19
-72		For B	alusters li	ke Nos	s. 3 or 5, add 2 cents cach.	
P	rices f	or Oak o	or Ash Ba	lusters	:	
116	inch I	Balusters	, No. 6,	each		.08
134	46	6.	" 1,	44		.09
2	6.6	6.6	۰۰ 1,			.11
21/4	61	6.6	" 1,	"		.13
21/6		6.6	44 1,	**		.16
		Flu	ited or	Oct	agon Balusters.	
			ted or O		Cherry or Black Walnut Balust 67:	ers
13/	inch	Fluted o	r Octavou	cach	\$.16
2	14611	44	11	.,		.18
21/4	6.6		66	6.6		.2
21/5			44	44		.2
23/4		6.6	16	" "		.2
~74			Mahogan	v costs	about double price.	
			Attendo Bure	.,	•	
E	rices	for Oak	or Ash B	alusters	3:	
***				door	\$	_
13/1	inch	Fluted o	or Octagor	i, each		. 1
13/4	inch	Fluted	or Octagor	i, each		.1
2	4.6					
2 21/4	64	14	6.6	44		.1
2	66	66	66	46		.1

Fancy Turned Box Newel Posts.

Similar to cuts on Page 56. Prices for Black Walnut, Cherry or other hardwoods:

5	inch Newel	Posts,	with Cap,	each	 2.75
6	4.6	44	44	4.6	 3.00
~	4.4	4.6	6.	4.6	3.50

Plain Octagon Staved Newel Posts.

Prices for Plain Octagou Staved Newel Posts, Black Walnut, Cherry, Oak or Ash, similar to Fig. 3, on Page 57:

		, .		0,			• •	
7	inch	Octagon	Newel	Posts,	with	Cap		4.50
8	4.6	44	44	64	6.6	16		5.00
9	4.6	6.6	4.6	4.4	6.6	6.6		5.25
10	64	+4	6.6	6.6	6.6	6+		5.50
							•••••	
12	6.6	6.6	4.6	4.5	6.6	66		6.25

For Mahogany Posts, add \$3.00 each; for Raised O G Panel, add \$1.25 each.

Sunk Panel Newel Posts.

Prices for Sunk Panel Newel Posts, Fancy Moulded, Black Waluut, Cherry or Oak, similar to Fig. 4, on Page 57:

8	inch	Sunk	Panel	Posts,	with Cap	·\$	7.50
9	4.6	44	6.	6.6	66		8.00
10	44	44	6.6	4.6	66		8.50
11	4.4	"	6.4	64	66		9.00
12	4.4	64	66	64	4.		9.50

For Circle-Top Pauel, add \$1.00; for Posts like Fig. 7, on Page 58, add \$1.50.

Sunk Panel Newel Posts, Panels Veneered.

Prices for Sunk Panel Newel Posts, Black Walnut, Cherry or Oak, similar to Fig. 4, on Page 57, with Panels Fancy Moulded, and Veneered with Mahogany, Rosewood or Bird's-cye Maple:

8	inch	Posts,	with Cap	\$ 8.50	
9	44	66	44	9,00	
10	4.6	6.4	6.6	9.50	
11	41	+6	4.6	10.00	
12	44	+ 6	4.4		

Full Veneered, add \$2.50; full Veneered with French Burl, add \$3.50; for Posts like Fig. 7, on Page 58, add \$1.50.

Angle Newel Posts.

Hardwood.

5	inch	Newel	Posts,	Fig.	26	\$	5.00
5	4.4	4.4	4.6	4.6	27	8	3.00
5	6.6	4.4	6.6		28		00

The above Prices are for ordinary length.

Stairs, Stair Railing, Etc.

Pine and Whitewood Baleony Balusters and Railing of every description made to order.

We have a large stock of Newel Posts, Balusters, Stair Railing, Stairs, Brackets, etc., always on hand, which we will take pleasure in showing to our customers.

Our patterns or styles of Railing, Balusters and Posts, a few of which may be found in this book, are the latest and most improved, such as we are furnishing in this city and throughout the Northwest. The prices given for Railing are for Straight Rail.

Directions Necessary for Ordering Stairs and Stair Railing.

When a flight of stairs is wanted, we should know the height of story from floor to floor, width of joist in second story, width and run of stairs, the size of cylinder, style of base used in the hall, with rough sketch showing about the shape of stairs wanted.

For Stair Railing, Straight Flight, we require the width of rise and step as sawed out on string-board, the number of risers, the size of cylinder from face to face of string or face-board, which way it turns at head of stairs, and the number of feet of straight rail required at landing. Unless we receive plan showing otherwise, we always suppose the top riser for a straight flight of stairs to be placed at the edge or spring of cylinder.

For Circular or Winding Stairs, we should have an exact plan of stairs as built, giving the width of rise and step, the location of risers in cylinder, etc.; and when there are straight steps below or above the cylinder, as per plan Nos. 1 and 5, page 85, always give the distance from the first square riser to the edge or spring line of cylinder, on the face of string or face-board. (See a, b, c, plans 1 and 5.) Always write your address in full on the plans.

MEMORANDA.

AVERY LIBRARY
COLUMBIA UNIVERSIT



